

**VELUX VCM/VCE/VCS Skylights
Recycled Content and Regional Materials Data**

| VELUX VCM/VCE/VCS SKYLIGHTS | | Weight of Installed Product (lbs.) | % of Total Weight | Recycled Content | | | | Regional Materials |
|--------------------------------|-----------------------|---|-------------------------|------------------------------|---------------|--------------------------------|---------------|---------------------------|
| | | | | % Recycled Content by Weight | | Recycled Content Weight (lbs.) | | Manufacturing Location |
| | | | | Pre Consumer | Post Consumer | Pre Consumer | Post Consumer | |
| 1 | VCM 2222 2004D | 43.6 | 100% | 15.4% | 10.0% | 6.72 | 4.36 | Greenwood, SC |
| | Glass | 18.1 | 41% | 6.9% | 0.8% | 3.00 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.6 | 1% | 0.1% | 0.0% | 0.03 | 0.00 | Louden, TN |
| | Sash Covers | 4.0 | 9% | 1.7% | 7.3% | 0.75 | 3.20 | Davenport, IA |
| | Counter Flashing | 3.4 | 8% | 5.2% | 0.3% | 2.26 | 0.12 | Gainesville, GA |
| | PVC Frames | 12.4 | 28% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 5% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 1% | 1.0% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 2.7 | 6% | 0.6% | 1.6% | 0.24 | 0.72 | Taiwan |
| 2 | VCM 2222 2005C | 39.5 | 100% | 15.3% | 11.1% | 6.02 | 4.36 | Greenwood, SC |
| | Glass | 14.0 | 35% | 5.8% | 0.9% | 2.29 | 0.34 | Buford, GA |
| | Gaskets | 0.6 | 1% | 0.1% | 0.0% | 0.04 | 0.00 | Louden, TN |
| | Sash Covers | 4.0 | 10% | 1.9% | 8.1% | 0.75 | 3.20 | Davenport, IA |
| | Counter Flashing | 3.4 | 9% | 5.7% | 0.3% | 2.26 | 0.12 | Gainesville, GA |
| | PVC Frames | 12.4 | 31% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 5% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 1% | 1.1% | 0.0% | 0.43 | 0.00 | Gainesville, GA |
| | Hardware | 2.7 | 7% | 0.6% | 1.8% | 0.25 | 0.71 | Taiwan |
| 3 | VCM 2234 2004D | 57.4 | 100% | 15.8% | 9.1% | 9.07 | 5.19 | Greenwood, SC |
| | Glass | 26.7 | 46% | 7.8% | 0.6% | 4.45 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.4 | 1% | 0.1% | 0.0% | 0.07 | 0.00 | Louden, TN |
| | Sash Covers | 4.8 | 8% | 1.6% | 6.7% | 0.90 | 3.83 | Davenport, IA |
| | Counter Flashing | 4.4 | 8% | 5.1% | 0.3% | 2.92 | 0.15 | Gainesville, GA |
| | PVC Frames | 15.4 | 27% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 1% | 0.8% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 3.2 | 6% | 0.5% | 1.5% | 0.29 | 0.87 | Taiwan |
| 4 | VCM 2234 2005C | 51.3 | 100% | 15.7% | 10.1% | 8.03 | 5.20 | Greenwood, SC |
| | Glass | 20.5 | 40% | 6.6% | 0.7% | 3.41 | 0.34 | Buford, GA |
| | Gaskets | 0.4 | 1% | 0.1% | 0.0% | 0.07 | 0.00 | Louden, TN |
| | Sash Covers | 4.8 | 9% | 1.8% | 7.5% | 0.90 | 3.84 | Davenport, IA |
| | Counter Flashing | 4.4 | 9% | 5.7% | 0.3% | 2.93 | 0.15 | Gainesville, GA |
| | PVC Frames | 15.4 | 30% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 1% | 0.9% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 3.2 | 6% | 0.6% | 1.7% | 0.29 | 0.87 | Taiwan |

**VELUX VCM/VCE/VCS Skylights
Recycled Content and Regional Materials Data**

| VELUX VCM/VCE/VCS SKYLIGHTS | | Weight of Installed Product (lbs.) | % of Total Weight | Recycled Content | | | | Regional Materials |
|--------------------------------|-----------------------|---|-------------------------|------------------------------|---------------|--------------------------------|---------------|---------------------------|
| | | | | % Recycled Content by Weight | | Recycled Content Weight (lbs.) | | Manufacturing Location |
| | | | | Pre Consumer | Post Consumer | Pre Consumer | Post Consumer | |
| 5 | VCM 2246 2004D | 71.0 | 100% | 15.6% | 8.4% | 11.06 | 5.94 | Greenwood, SC |
| | Glass | 35.2 | 50% | 8.3% | 0.5% | 5.91 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.1 | 0% | 0.1% | 0.0% | 0.09 | 0.00 | Louden, TN |
| | Sash Covers | 5.5 | 8% | 1.4% | 6.1% | 1.02 | 4.36 | Davenport, IA |
| | Counter Flashing | 4.9 | 7% | 4.6% | 0.2% | 3.26 | 0.17 | Gainesville, GA |
| | PVC Frames | 18.9 | 27% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 1% | 0.6% | 0.0% | 0.43 | 0.00 | Gainesville, GA |
| | Hardware | 4.0 | 6% | 0.5% | 1.5% | 0.36 | 1.07 | Taiwan |
| 6 | VCM 2246 2005C | 63.2 | 100% | 15.3% | 9.4% | 9.66 | 5.93 | Greenwood, SC |
| | Glass | 27.0 | 43% | 7.1% | 0.5% | 4.51 | 0.33 | Buford, GA |
| | Gaskets | 0.1 | 0% | 0.2% | 0.0% | 0.09 | 0.00 | Louden, TN |
| | Sash Covers | 5.5 | 9% | 1.6% | 6.9% | 1.02 | 4.36 | Davenport, IA |
| | Counter Flashing | 4.9 | 8% | 5.2% | 0.3% | 3.25 | 0.17 | Gainesville, GA |
| | PVC Frames | 19.2 | 30% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 1% | 0.7% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 4.0 | 6% | 0.5% | 1.7% | 0.34 | 1.07 | Taiwan |
| 7 | VCM 3030 2004D | 64.2 | 100% | 15.7% | 8.1% | 10.05 | 5.21 | Greenwood, SC |
| | Glass | 31.4 | 49% | 8.2% | 0.5% | 5.26 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.2 | 0% | 0.1% | 0.0% | 0.03 | 0.00 | Louden, TN |
| | Sash Covers | 4.8 | 7% | 1.4% | 6.0% | 0.91 | 3.84 | Davenport, IA |
| | Counter Flashing | 4.6 | 7% | 4.8% | 0.3% | 3.06 | 0.16 | Gainesville, GA |
| | PVC Frames | 17.2 | 27% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.6 | 1% | 0.8% | 0.0% | 0.51 | 0.00 | Gainesville, GA |
| | Hardware | 3.4 | 5% | 0.5% | 1.4% | 0.30 | 0.87 | Taiwan |
| 8 | VCM 3030 2005C | 57.0 | 100% | 15.5% | 9.1% | 8.81 | 5.21 | Greenwood, SC |
| | Glass | 24.1 | 42% | 7.0% | 0.6% | 4.01 | 0.34 | Buford, GA |
| | Gaskets | 0.2 | 0% | 0.1% | 0.0% | 0.03 | 0.00 | Louden, TN |
| | Sash Covers | 4.8 | 8% | 1.6% | 6.7% | 0.90 | 3.84 | Davenport, IA |
| | Counter Flashing | 4.6 | 8% | 5.4% | 0.3% | 3.06 | 0.16 | Gainesville, GA |
| | PVC Frames | 17.2 | 30% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.6 | 1% | 0.9% | 0.0% | 0.51 | 0.00 | Gainesville, GA |
| | Hardware | 3.5 | 6% | 0.6% | 1.5% | 0.34 | 0.86 | Taiwan |

**VELUX VCM/VCE/VCS Skylights
Recycled Content and Regional Materials Data**

| VELUX VCM/VCE/VCS SKYLIGHTS | Weight of Installed Product (lbs.) | % of Total Weight | Recycled Content | | | | Regional Materials | |
|-----------------------------|------------------------------------|-------------------|------------------------------|---------------|--------------------------------|---------------|------------------------|------------------------|
| | | | % Recycled Content by Weight | | Recycled Content Weight (lbs.) | | Manufacturing Location | |
| | | | Pre Consumer | Post Consumer | Pre Consumer | Post Consumer | | |
| 9 | VCM 3046 2004D | 86.3 | 100% | 16.0% | 7.6% | 13.79 | 6.53 | Greenwood, SC |
| | Glass | 46.5 | 54% | 9.1% | 0.4% | 7.82 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.8 | 1% | 0.1% | 0.0% | 0.10 | 0.00 | Louden, TN |
| | Sash Covers | 6.0 | 7% | 1.3% | 5.6% | 1.13 | 4.80 | Davenport, IA |
| | Counter Flashing | 5.8 | 7% | 4.5% | 0.2% | 3.86 | 0.21 | Gainesville, GA |
| | PVC Frames | 21.0 | 24% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 2% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.6 | 1% | 0.6% | 0.0% | 0.51 | 0.00 | Gainesville, GA |
| | Hardware | 3.6 | 4% | 0.4% | 1.4% | 0.35 | 1.21 | Taiwan |
| 10 | VCM 3046 2005C | 75.5 | 100% | 15.8% | 8.6% | 11.94 | 6.52 | Greenwood, SC |
| | Glass | 35.6 | 47% | 7.9% | 0.5% | 5.98 | 0.34 | Buford, GA |
| | Gaskets | 0.6 | 1% | 0.1% | 0.0% | 0.11 | 0.00 | Louden, TN |
| | Sash Covers | 6.0 | 8% | 1.5% | 6.4% | 1.12 | 4.79 | Davenport, IA |
| | Counter Flashing | 5.8 | 8% | 5.1% | 0.3% | 3.86 | 0.20 | Gainesville, GA |
| | PVC Frames | 21.0 | 28% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.6 | 1% | 0.7% | 0.0% | 0.51 | 0.00 | Gainesville, GA |
| | Hardware | 3.9 | 5% | 0.5% | 1.5% | 0.38 | 1.13 | Taiwan |
| 11 | VCM 3434 2004D | 76.0 | 100% | 15.7% | 8.0% | 11.96 | 6.06 | Greenwood, SC |
| | Glass | 39.4 | 52% | 8.7% | 0.4% | 6.62 | 0.33 | Amery, WI & Buford, GA |
| | Gaskets | 0.7 | 1% | 0.2% | 0.0% | 0.12 | 0.00 | Louden, TN |
| | Sash Covers | 5.6 | 7% | 1.4% | 5.9% | 1.06 | 4.48 | Davenport, IA |
| | Counter Flashing | 5.0 | 7% | 4.4% | 0.2% | 3.32 | 0.17 | Gainesville, GA |
| | PVC Frames | 19.2 | 25% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.6 | 1% | 0.7% | 0.0% | 0.51 | 0.00 | Gainesville, GA |
| | Hardware | 3.5 | 5% | 0.4% | 1.4% | 0.30 | 1.06 | Taiwan |
| 12 | VCM 3434 2005C | 66.9 | 100% | 15.6% | 9.1% | 10.41 | 6.06 | Greenwood, SC |
| | Glass | 30.2 | 45% | 7.6% | 0.5% | 5.06 | 0.33 | Buford, GA |
| | Gaskets | 0.7 | 1% | 0.2% | 0.0% | 0.12 | 0.00 | Louden, TN |
| | Sash Covers | 5.6 | 8% | 1.6% | 6.7% | 1.05 | 4.48 | Davenport, IA |
| | Counter Flashing | 5.0 | 7% | 5.0% | 0.3% | 3.32 | 0.17 | Gainesville, GA |
| | PVC Frames | 19.2 | 29% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 1% | 0.7% | 0.0% | 0.48 | 0.00 | Gainesville, GA |
| | Hardware | 3.6 | 5% | 0.6% | 1.6% | 0.40 | 1.07 | Taiwan |

**VELUX VCM/VCE/VCS Skylights
Recycled Content and Regional Materials Data**

| VELUX VCM/VCE/VCS SKYLIGHTS | | Weight of Installed Product (lbs.) | % of Total Weight | Recycled Content | | | | Regional Materials |
|--------------------------------|-----------------------|---|-------------------------|------------------------------|---------------|--------------------------------|---------------|---------------------------|
| | | | | % Recycled Content by Weight | | Recycled Content Weight (lbs.) | | Manufacturing Location |
| | | | | Pre Consumer | Post Consumer | Pre Consumer | Post Consumer | |
| 13 | VCM 4646 2004D | 121.4 | 100% | 15.9% | 6.1% | 19.34 | 7.39 | Greenwood, SC |
| | Glass | 75.0 | 62% | 10.5% | 0.3% | 12.69 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.8 | 1% | 0.1% | 0.0% | 0.15 | 0.00 | Louden, TN |
| | Sash Covers | 7.2 | 6% | 1.1% | 4.8% | 1.36 | 5.77 | Davenport, IA |
| | Counter Flashing | 6.6 | 5% | 3.6% | 0.2% | 4.39 | 0.23 | Gainesville, GA |
| | PVC Frames | 25.2 | 21% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 2% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 0% | 0.4% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 4.0 | 3% | 0.2% | 0.9% | 0.24 | 1.09 | Taiwan |
| 14 | VCM 4646 2005C | 111.7 | 100% | 15.9% | 6.8% | 17.70 | 7.55 | Greenwood, SC |
| | Glass | 65.2 | 58% | 9.9% | 0.3% | 11.01 | 0.34 | Buford, GA |
| | Gaskets | 0.8 | 1% | 0.1% | 0.0% | 0.15 | 0.00 | Louden, TN |
| | Sash Covers | 7.2 | 6% | 1.3% | 5.3% | 1.40 | 5.92 | Davenport, IA |
| | Counter Flashing | 6.6 | 6% | 3.9% | 0.2% | 4.39 | 0.23 | Gainesville, GA |
| | PVC Frames | 25.2 | 23% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.0 | 2% | 0.0% | 0.0% | 0.00 | 0.00 | Owatonna, MN |
| | Hinge Bar | 0.5 | 0% | 0.4% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 4.1 | 4% | 0.3% | 1.0% | 0.32 | 1.12 | Taiwan |
| 15 | VCE 2222 2004D | 47.5 | 100% | 14.2% | 9.2% | 6.73 | 4.37 | Greenwood, SC |
| | Glass | 18.1 | 38% | 6.3% | 0.7% | 2.99 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.2 | 0% | 0.1% | 0.0% | 0.03 | 0.00 | Louden, TN |
| | Sash Covers | 4.0 | 8% | 1.6% | 6.7% | 0.75 | 3.20 | Davenport, IA |
| | Counter Flashing | 3.4 | 7% | 4.8% | 0.3% | 2.26 | 0.12 | Gainesville, GA |
| | PVC Frames | 12.4 | 26% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.6 | 6% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.5 | 1% | 0.9% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 6.3 | 13% | 0.6% | 1.5% | 0.29 | 0.71 | Taiwan |
| 16 | VCE 2234 2004D | 61.3 | 100% | 14.8% | 8.5% | 9.08 | 5.20 | Greenwood, SC |
| | Glass | 26.7 | 44% | 7.3% | 0.6% | 4.46 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.4 | 1% | 0.1% | 0.0% | 0.07 | 0.00 | Louden, TN |
| | Sash Covers | 4.8 | 8% | 1.5% | 6.3% | 0.90 | 3.84 | Davenport, IA |
| | Counter Flashing | 4.4 | 7% | 4.8% | 0.3% | 2.92 | 0.15 | Gainesville, GA |
| | PVC Frames | 15.4 | 25% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.6 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.5 | 1% | 0.7% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 6.7 | 11% | 0.5% | 1.4% | 0.29 | 0.86 | Taiwan |

**VELUX VCM/VCE/VCS Skylights
Recycled Content and Regional Materials Data**

| VELUX VCM/VCE/VCS SKYLIGHTS | Weight of Installed Product (lbs.) | % of Total Weight | Recycled Content | | | | Regional Materials | |
|--------------------------------|---|-------------------------|------------------------------|---------------|--------------------------------|---------------|---------------------------|------------------------|
| | | | % Recycled Content by Weight | | Recycled Content Weight (lbs.) | | Manufacturing Location | |
| | | | Pre Consumer | Post Consumer | Pre Consumer | Post Consumer | | |
| 17 | VCE 2246 2004D | 75.2 | 100% | 14.7% | 7.9% | 11.06 | 5.93 | Greenwood, SC |
| | Glass | 35.2 | 47% | 7.9% | 0.5% | 5.91 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.1 | 0% | 0.1% | 0.0% | 0.10 | 0.00 | Louden, TN |
| | Sash Covers | 5.5 | 7% | 1.4% | 5.8% | 1.02 | 4.36 | Davenport, IA |
| | Counter Flashing | 4.9 | 7% | 4.3% | 0.2% | 3.26 | 0.17 | Gainesville, GA |
| | PVC Frames | 19.2 | 26% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.6 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.5 | 1% | 0.6% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 7.2 | 10% | 0.4% | 1.4% | 0.30 | 1.08 | Taiwan |
| 18 | VCE 3030 2004D | 68.1 | 100% | 14.8% | 7.7% | 10.05 | 5.21 | Greenwood, SC |
| | Glass | 31.4 | 46% | 7.7% | 0.5% | 5.26 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.2 | 0% | 0.1% | 0.0% | 0.03 | 0.00 | Louden, TN |
| | Sash Covers | 4.8 | 7% | 1.3% | 5.6% | 0.91 | 3.84 | Davenport, IA |
| | Counter Flashing | 4.6 | 7% | 4.5% | 0.2% | 3.06 | 0.16 | Gainesville, GA |
| | PVC Frames | 17.2 | 25% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.6 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.6 | 1% | 0.8% | 0.0% | 0.51 | 0.00 | Gainesville, GA |
| | Hardware | 6.7 | 10% | 0.5% | 1.3% | 0.34 | 0.89 | Taiwan |
| 19 | VCE 3046 2004D | 90.2 | 100% | 15.3% | 7.2% | 13.79 | 6.53 | Greenwood, SC |
| | Glass | 46.5 | 52% | 8.7% | 0.4% | 7.82 | 0.33 | Amery, WI & Buford, GA |
| | Gaskets | 0.6 | 1% | 0.1% | 0.0% | 0.10 | 0.00 | Louden, TN |
| | Sash Covers | 6.0 | 7% | 1.3% | 5.3% | 1.13 | 4.80 | Davenport, IA |
| | Counter Flashing | 5.8 | 6% | 4.3% | 0.2% | 3.86 | 0.21 | Gainesville, GA |
| | PVC Frames | 21.0 | 23% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.6 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.6 | 1% | 0.6% | 0.0% | 0.51 | 0.00 | Gainesville, GA |
| | Hardware | 7.1 | 8% | 0.4% | 1.3% | 0.36 | 1.17 | Taiwan |
| 20 | VCE 3434 2004D | 79.9 | 100% | 15.0% | 7.6% | 11.97 | 6.06 | Greenwood, SC |
| | Glass | 39.4 | 49% | 8.3% | 0.4% | 6.62 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.7 | 1% | 0.2% | 0.0% | 0.12 | 0.00 | Louden, TN |
| | Sash Covers | 5.6 | 7% | 1.3% | 5.6% | 1.05 | 4.48 | Davenport, IA |
| | Counter Flashing | 5.0 | 6% | 4.2% | 0.2% | 3.32 | 0.18 | Gainesville, GA |
| | PVC Frames | 19.2 | 24% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.6 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.6 | 1% | 0.6% | 0.0% | 0.51 | 0.00 | Gainesville, GA |
| | Hardware | 6.8 | 9% | 0.4% | 1.3% | 0.32 | 1.04 | Taiwan |

**VELUX VCM/VCE/VCS Skylights
Recycled Content and Regional Materials Data**

| VELUX VCM/VCE/VCS SKYLIGHTS | Weight of Installed Product (lbs.) | % of Total Weight | Recycled Content | | | | Regional Materials | |
|-----------------------------|------------------------------------|-------------------|------------------------------|---------------|--------------------------------|---------------|------------------------|------------------------|
| | | | % Recycled Content by Weight | | Recycled Content Weight (lbs.) | | Manufacturing Location | |
| | | | Pre Consumer | Post Consumer | Pre Consumer | Post Consumer | | |
| 21 | VCE 4646 2004D | 125.2 | 100% | 15.5% | 5.9% | 19.34 | 7.40 | Greenwood, SC |
| | Glass | 75.0 | 60% | 10.1% | 0.3% | 12.68 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.8 | 1% | 0.1% | 0.0% | 0.14 | 0.00 | Louden, TN |
| | Sash Covers | 7.2 | 6% | 1.1% | 4.6% | 1.35 | 5.76 | Davenport, IA |
| | Counter Flashing | 6.6 | 5% | 3.5% | 0.2% | 4.43 | 0.23 | Gainesville, GA |
| | PVC Frames | 25.2 | 20% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.6 | 2% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Hinge Bar | 0.5 | 0% | 0.4% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 7.2 | 6% | 0.3% | 0.8% | 0.38 | 1.00 | Taiwan |
| 22 | VCS 2222 2004D | 48.4 | 100% | 15.6% | 13.1% | 7.57 | 6.34 | Greenwood, SC |
| | Glass | 18.1 | 37% | 6.2% | 0.7% | 2.99 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.2 | 0% | 0.1% | 0.0% | 0.03 | 0.00 | Louden, TN |
| | Sash Covers | 4.0 | 8% | 1.6% | 6.6% | 0.75 | 3.20 | Davenport, IA |
| | Counter Flashing | 3.4 | 7% | 4.7% | 0.3% | 2.26 | 0.12 | Gainesville, GA |
| | PVC Frames | 12.4 | 26% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.8 | 6% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Aluminum Bracket | 2.0 | 4% | 0.8% | 3.3% | 0.38 | 1.58 | Louisville, KY |
| | Hinge Bar | 0.5 | 1% | 0.9% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 5.0 | 10% | 0.5% | 1.5% | 0.26 | 0.71 | Taiwan |
| 23 | VCS 2234 2004D | 62.3 | 100% | 15.2% | 10.9% | 9.46 | 6.79 | Greenwood, SC |
| | Glass | 26.7 | 43% | 7.2% | 0.5% | 4.46 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.4 | 1% | 0.1% | 0.0% | 0.07 | 0.00 | Louden, TN |
| | Sash Covers | 4.8 | 8% | 1.5% | 6.2% | 0.90 | 3.84 | Davenport, IA |
| | Counter Flashing | 4.4 | 7% | 4.7% | 0.3% | 2.93 | 0.16 | Gainesville, GA |
| | PVC Frames | 15.4 | 25% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.8 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Aluminum Bracket | 2.0 | 3% | 0.6% | 2.5% | 0.37 | 1.58 | Louisville, KY |
| | Hinge Bar | 0.5 | 1% | 0.7% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 5.3 | 9% | 0.5% | 1.4% | 0.29 | 0.87 | Taiwan |
| 24 | VCS 2246 2004D | 76.2 | 100% | 15.0% | 9.9% | 11.44 | 7.52 | Greenwood, SC |
| | Glass | 35.2 | 46% | 7.8% | 0.4% | 5.92 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.1 | 0% | 0.1% | 0.0% | 0.10 | 0.00 | Louden, TN |
| | Sash Covers | 5.5 | 7% | 1.4% | 5.7% | 1.03 | 4.36 | Davenport, IA |
| | Counter Flashing | 4.9 | 6% | 4.3% | 0.2% | 3.26 | 0.18 | Gainesville, GA |
| | PVC Frames | 19.2 | 25% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.8 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Aluminum Bracket | 2.0 | 3% | 0.5% | 2.1% | 0.37 | 1.58 | Louisville, KY |
| | Hinge Bar | 0.5 | 1% | 0.6% | 0.0% | 0.43 | 0.00 | Gainesville, GA |
| | Hardware | 6.1 | 8% | 0.5% | 1.4% | 0.34 | 1.07 | Taiwan |

**VELUX VCM/VCE/VCS Skylights
Recycled Content and Regional Materials Data**

| VELUX VCM/VCE/VCS SKYLIGHTS | Weight of Installed Product (lbs.) | % of Total Weight | Recycled Content | | | | Regional Materials | |
|-----------------------------|------------------------------------|-------------------|------------------------------|---------------|--------------------------------|---------------|------------------------|--|
| | | | % Recycled Content by Weight | | Recycled Content Weight (lbs.) | | Manufacturing Location | |
| | | | Pre Consumer | Post Consumer | Pre Consumer | Post Consumer | | |
| 25 VCS 3030 2004D | 69.0 | 100% | 15.1% | 9.8% | 10.43 | 6.79 | Greenwood, SC | |
| Glass | 31.4 | 45% | 7.6% | 0.5% | 5.25 | 0.34 | Amery, WI & Buford, GA | |
| Gaskets | 0.2 | 0% | 0.1% | 0.0% | 0.03 | 0.00 | Louden, TN | |
| Sash Covers | 4.8 | 7% | 1.3% | 5.6% | 0.90 | 3.84 | Davenport, IA | |
| Counter Flashing | 4.6 | 7% | 4.4% | 0.2% | 3.06 | 0.16 | Gainesville, GA | |
| PVC Frames | 17.2 | 25% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA | |
| Operator | 2.8 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe | |
| Aluminum Bracket | 2.0 | 3% | 0.5% | 2.3% | 0.37 | 1.58 | Louisville, KY | |
| Hinge Bar | 0.6 | 1% | 0.7% | 0.0% | 0.51 | 0.00 | Gainesville, GA | |
| Hardware | 5.4 | 8% | 0.4% | 1.3% | 0.29 | 0.87 | Taiwan | |
| 26 VCS 3046 2004D | 91.1 | 100% | 15.5% | 8.9% | 14.17 | 8.11 | Greenwood, SC | |
| Glass | 46.5 | 51% | 8.6% | 0.4% | 7.83 | 0.34 | Amery, WI & Buford, GA | |
| Gaskets | 0.6 | 1% | 0.1% | 0.0% | 0.10 | 0.00 | Louden, TN | |
| Sash Covers | 6.0 | 7% | 1.2% | 5.3% | 1.13 | 4.80 | Davenport, IA | |
| Counter Flashing | 5.8 | 6% | 4.2% | 0.2% | 3.86 | 0.20 | Gainesville, GA | |
| PVC Frames | 21.0 | 23% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA | |
| Operator | 2.8 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe | |
| Aluminum Bracket | 2.0 | 2% | 0.4% | 1.7% | 0.37 | 1.59 | Louisville, KY | |
| Hinge Bar | 0.6 | 1% | 0.6% | 0.0% | 0.51 | 0.00 | Gainesville, GA | |
| Hardware | 5.8 | 6% | 0.4% | 1.3% | 0.37 | 1.18 | Taiwan | |
| 27 VCS 3434 2004D | 80.8 | 100% | 15.3% | 9.5% | 12.35 | 7.64 | Greenwood, SC | |
| Glass | 39.4 | 49% | 8.2% | 0.4% | 6.62 | 0.34 | Amery, WI & Buford, GA | |
| Gaskets | 0.7 | 1% | 0.2% | 0.0% | 0.12 | 0.00 | Louden, TN | |
| Sash Covers | 5.6 | 7% | 1.3% | 5.5% | 1.05 | 4.48 | Davenport, IA | |
| Counter Flashing | 5.0 | 6% | 4.1% | 0.2% | 3.32 | 0.18 | Gainesville, GA | |
| PVC Frames | 19.2 | 24% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA | |
| Operator | 2.6 | 3% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe | |
| Aluminum Bracket | 2.0 | 2% | 0.5% | 2.0% | 0.38 | 1.58 | Louisville, KY | |
| Hinge Bar | 0.6 | 1% | 0.6% | 0.0% | 0.51 | 0.00 | Gainesville, GA | |
| Hardware | 5.7 | 7% | 0.4% | 1.3% | 0.35 | 1.07 | Taiwan | |
| 28 VCS 4622 2004D | 76.2 | 100% | 15.0% | 9.9% | 11.44 | 7.52 | Greenwood, SC | |
| Glass | 35.2 | 46% | 7.8% | 0.4% | 5.92 | 0.34 | Amery, WI & Buford, GA | |
| Gaskets | 0.8 | 1% | 0.1% | 0.0% | 0.10 | 0.00 | Louden, TN | |
| Sash Covers | 7.2 | 9% | 1.4% | 5.7% | 1.03 | 4.36 | Davenport, IA | |
| Counter Flashing | 6.6 | 9% | 4.3% | 0.2% | 3.26 | 0.14 | Gainesville, GA | |
| PVC Frames | 19.2 | 25% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA | |
| Operator | 2.8 | 4% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe | |
| Aluminum Bracket | 2.0 | 3% | 0.5% | 2.1% | 0.37 | 1.58 | Louisville, KY | |
| Hinge Bar | 0.5 | 1% | 0.6% | 0.0% | 0.43 | 0.00 | Gainesville, GA | |
| Hardware | 1.8 | 2% | 0.5% | 1.4% | 0.34 | 1.07 | Taiwan | |

**VELUX VCM/VCE/VCS Skylights
Recycled Content and Regional Materials Data**

| VELUX VCM/VCE/VCS SKYLIGHTS | | Weight of Installed Product (lbs.) | % of Total Weight | Recycled Content | | | | Regional Materials |
|--------------------------------|-----------------------|---|-------------------------|------------------------------|---------------|--------------------------------|---------------|---------------------------|
| | | | | % Recycled Content by Weight | | Recycled Content Weight (lbs.) | | Manufacturing Location |
| | | | | Pre Consumer | Post Consumer | Pre Consumer | Post Consumer | |
| 29 | VCS 4646 2004D | 126.1 | 100% | 15.6% | 7.1% | 19.72 | 8.98 | Greenwood, SC |
| | Glass | 75.0 | 59% | 10.1% | 0.3% | 12.69 | 0.34 | Amery, WI & Buford, GA |
| | Gaskets | 0.8 | 1% | 0.1% | 0.0% | 0.14 | 0.00 | Louden, TN |
| | Sash Covers | 7.2 | 6% | 1.1% | 4.6% | 1.35 | 5.76 | Davenport, IA |
| | Counter Flashing | 6.6 | 5% | 3.5% | 0.2% | 4.39 | 0.23 | Gainesville, GA |
| | PVC Frames | 25.2 | 20% | 0.0% | 0.0% | 0.00 | 0.00 | Covington, GA |
| | Operator | 2.8 | 2% | 0.0% | 0.0% | 0.00 | 0.00 | Denmark, Europe |
| | Aluminum Bracket | 2.0 | 2% | 0.3% | 1.3% | 0.38 | 1.59 | Louisville, KY |
| | Hinge Bar | 0.5 | 0% | 0.4% | 0.0% | 0.44 | 0.00 | Gainesville, GA |
| | Hardware | 5.9 | 5% | 0.3% | 0.8% | 0.33 | 1.06 | Taiwan |